

**CENTRAL TEXAS GROUNDWATER CONSERVATION DISTRICT (“District”)  
NOTICE OF HEARING ON APPLICATION FOR PERMIT AMENDMENT**

**NOTICE:** the General Manager of the District has determined the following application(s) are administratively complete, conducted a technical review of applications, and prepared recommendations for consideration by the Board of Directors (“Board”): A preliminary hearing on the proposed permits will be held on Thursday June 20, 2024 at 9:00 a.m. at the District’s office at 225 South Pierce Street, Suite 104, Burnet, TX 78611, in accordance with the District’s rules. Each proposed permit application and its underlying application is available for inspection at the District’s office.

The Board of Directors may deny or grant in full or in part a permit application, and issue a permit in any amount less than, or equal to the amount claimed in the application, based upon the evidence received at the hearing and notwithstanding the General Manager’s recommendation.

In order to request a contested case hearing on an application, the applicant or an affected person, in accordance with District Rules must provide the District with a written request for a contested case hearing seven (7) days before the date of the intended action stated in this notice and appear before the Board at the hearing and oppose the application. Written requests received after this deadline will not be considered timely filed, and will not be further processed by the District.

**Amendment to Operating Permit**

**Permit Number:** OP-21042201-B

**Applicants Name & Address:**

Sunset Water Utilities/Ricky and Sandra Rowe  
P.O. Box 1326  
Marble Falls, TX 78654  
**Address of well location:**  
6618 Hwy 71  
Spicewood, TX

**Permit Amendment:** Existing permit is for 4 aggregate wells for 152.5 acre feet/year. Permit amendment request to add a 5<sup>th</sup> well, #9146, and a 36.7 acre feet increase in annual volume.

**Aquifer:** Ellenburger-San Saba

**Requested Annual Production:** Total 189.2 acft (add 36.7 acft)

**Pumping Capacity:**

Well #9146 at 35 gpm

**Purpose of use of the water:**

Public Water Supply (Spicewood Gardens, Spicewood Trails, Spicewood Estates)

**Recommendation by General Manager:**

It is the intent of the General Manager to recommend adding a new well to an existing aggregate operating permit for 189.2 Acre Feet/Year.

For information about a permit application or submitting a contested case hearing request, contact the District by phone at 512-756-4900, in person at 225 S. Pierce, Suite 104, Burnet, Texas , or visit the District’s website at [www.centraltexasgwd.org](http://www.centraltexasgwd.org).

These proposed permits, if issued as final permits, would authorize the permit holder to withdraw and beneficially use groundwater within the Central Texas Groundwater Conservation District according to the terms and conditions set forth in the permits.

**Certification:** I, the undersigned authority, do hereby certify that on June 4, 2024 at or before 4:00 p.m., I posted and filed the above notice of hearing with the Burnet County Clerk’s office for filing in the hallway of the Burnet County Courthouse in a place convenient and readily accessible to the general public at all times. I also certify that a copy of the notice was posted on the door and on an outside window of the District’s office and that it will remain so posted continuously, as required for the specific permit type, immediately preceding the scheduled time of said hearing.



Mitchell Sodek, General Manager

Central Texas Groundwater Conservation District

**POSTED**

**Vicinta Stafford  
Burnet County Clerk**

By Courtney Gage at 10:59am, Jun 04, 2024